

dimension®

#1 IN 3D PRINTERS

The world's
standard
for creating
cost-effective
working
models
right at
your desk.



It's true.

The first 10% of the product development process can affect about 80% of the product's total cost? Amazing!

But what's even more amazing is how functional 3D models and parts, created on a Dimension printer, enable you and your design team to make smarter design decisions. The result: Fewer design changes, better product designs, lower production costs and a shorter time to get your product to market.

3D printing has never been more affordable and a Dimension 3D Printer can pay for itself faster than you think.

The Dimension product line features four printers which operate in an office environment.

Each printer produces the same high quality ABS models that allow you to test for form, fit and function.

You simply click "print" and your design is sent to the printer.

All our networked printers are very easy to install and operate. Each printer runs on our Catalyst® EX software which automatically imports STL files, orients the part, slices the file, generates support structures (if necessary) and creates a precise deposition path to build your ABS model. Multiple models can be packed within the build envelope to maximize efficiency. Dimension 3D Printers run unattended and provide system and build status information at your computer.



Breakaway Support Technology Printers

Dimension BST 768

8 x 8 x 12" Build Size
203 x 203 x 305 mm

\$18,900*

Dimension BST 1200

10 x 10 x 12" Build Size
254 x 254 x 305 mm

\$21,900*

The Dimension BST 768 and 1200 (Breakaway Support Technology) Printers are network compatible and produce durable working models from ABS with the click of a button. Once the model is printed, simply remove the model from the printer, peel away the supports and begin using the functional model.

Soluble Support Technology Printers

Dimension SST 768

8 x 8 x 12" Build Size
203 x 203 x 305 mm

\$24,900*

Dimension SST 1200

10 x 10 x 12" Build Size
254 x 254 x 305 mm

\$29,900*

The Dimension SST (Soluble Support Technology) Printers incorporate the same technology as the Dimension BST Printers to create high-quality working ABS models. The difference is that Dimension SST Printers feature an automated support removal process. You simply remove the model from the system and place it into an agitation bath and a concentrated solution to automatically wash away the support structures. Essentially, the Dimension SST Printers allow for "hands free" printing.

*Manufacturers' worldwide list price.
Additional options, shipping, applicable
taxes/duties not included.

Dimension 3D Printers: Essential design tools with distinct advantages.

Nothing communicates design ideas faster than a three-dimensional part or model. With a Dimension 3D Printer, you can bring CAD files and design ideas to life – right from your desktop. Test form, fit and function – and as many design iterations as you like with functional ABS parts and beat your competitors to the marketplace.

Dimension printers are specifically designed for use in the office. Each system operates quietly and there are no noxious fumes or toxic materials that require venting and/or special handling.

To operate, simply connect a Dimension 3D Printer to your network. Load Catalyst EX software. Insert the self-loading material cartridges and follow the display panel prompts. That's it. Printing with Dimension is as easy as clicking print.

See why Dimension 3D Printers are the fastest selling office-friendly machine of its kind – and start shortening your design and development cycle.



See a demonstration online at
www.dimensionprinting.com

See for yourself how a Dimension 3D Printer can become a critical part in your design process.

Network Connectivity

TCP/IP 100/10 base T

Workstation Compatibility

Windows 2000/Windows XP

ABS Layer Thickness

.254 mm (.010 in.) or .33 mm (.013 in.)
of precisely deposited ABS and support material

Size and Weight

BST 768 & SST 768

686 x 914 x 1041 mm

(27 x 36 x 41 in.)

Weight: 136 kg (300 lbs.)

BST 1200 & SST 1200

838 x 737 x 1143 mm

(33 x 29 x 45 in.)

Weight: 148 kg (326 lbs.)

Power Requirements

110-120 VAC, 60 Hz, minimum

15A dedicated circuit or 220-240 VAC,

50/60 Hz, minimum 7A dedicated circuit

Regulatory Compliance: CE

Special facility requirements: None

Dimension Printing, a business unit of Stratasys, Inc.

14950 Martin Drive

Eden Prairie, MN 55433-2020 U.S.A.

866.721.9244 US Toll Free

info@dimensionprinting.com

www.dimensionprinting.com

© 2006 Stratasys, Inc. All rights reserved. Stratasys, Dimension and Catalyst are registered trademarks of Stratasys, Inc., registered in the U.S.A. and other countries. Windows 2000 and Windows XP are trademarks of their respective owner. Stratasys assumes no responsibility with regard to the selection, performance or use of these products. Product specifications are subject to change without notice. Printed in U.S.A. DIM0406

DEALER